[23rd July 1962

*533 கேள்வி.—திரு. ஆர். நாராயணன்: கனம் பொதுப்பணித் துறை அமைச்சர் தயவுசெய்து கீழ்க்கண்ட கேள்விகளுக்குப் பதிலளிப்பாரா—

(அ) தென்னாற்காடு மாவட்டத்திலிருந்து திருச்சிராப்பள்ளி மாவட்டத்திற்கு திட்டகுடி, மாத்தூர் போகும் ரோடில் உள்ள வெள்ளாத்துக்குக் குறுக்கே பாலம் கட்டும் திட்டத்தைப்பற்றி உத்தேசமுண்டா? ,

(இ) அப்படியானால், எப்போது வேலை துவக்கப்படும்?

THE HON. SRI V. RAMAIAH: (*a*) No, Sir.

(*b*) Does not arise.

Hydro-electric projects

*534 *Q.*—SRI M. WILLIAM (on behalf of Sri A. KUNJAN NADAR): Will the Hon. the Minister for Indusutries be pleased to state—

(*a*) whether there is any proposal for a Hydro-Electric Scheme in the upper reaches of the river above Pachipara dam; and

(*b*) if so, whether Pattanamkal Scheme would be affected by that scheme?

THE HON. SRI R. VENKATARAMAN: (*a*) Yes, Sir.

(*b*) No, Sir.

*535 *Q.*—SRI R. PONNAPPA NADAR: }
SRI M. WILLIAM: } Will the Hon. the Minister for Industries be pleased to state—

(*a*) whether the investigation for the construction of the hydro-electric project at Kodayar in Kanyakumari has been completed;

(*b*) the power that could be generated;

(*c*) whether the work will be taken up during this financial year; and

(*d*) the expenditure incurred so far?

THE HON. SRI R. VENKATARAMAN: (*a*) No, Sir.

(b) About 60,000 K.W.

(*c*) Not likely, Sir.

(*d*) Rupees three lakhs on the investigation.

SRI R. PONNAPPA NADAR: Is there any difference of opinion between the Irrigation Department and the Electricity Department regarding the investigation?

THE HON. SRI R. VENKATARAMAN: There is no such difference of opinion. The Government is one.

SRI M. WILLIAM: Is it a State-sponsored scheme or a Central scheme?